



## COLOURING YOUR IMAGINATION

JAKOFIX HE DYES		PROCESSES						LIGHT FASTNESS				SOLUBILITY		WASHING			PERSPIRATION M&S C7						CHLORINATED WATER (JIS L 0884-10mg)	DRY RUBBING (M&S C8)	WET RUBBING (M&S C8)	PERBORATE WET FADE (M&S C9A)	REPEATED DOMESTIC WASHING (M&S C10A)						
		HOT EXHAUST	COLD PAD BATCH	PAD DRY PAD STEAM	PAD DRY STEAM	PAD DRY THERMOFIX	ECONTROL	AATCC 16E 1/1	AATCC 16E 1/3	ISO B02 1/1	ISO B02 1/3	gms/lit		CO6/C2			ACIDIC			ALKALINE													
												WATER 30° C	IN PRESENCE OF SALT 50° C (90 G/L)	EFFECT	STAIN (COTTON)	STAIN (NYLON)	EFFECT	STAIN (COTTON)	STAIN (NYLON)	EFFECT	STAIN (COTTON)	STAIN (NYLON)											
1%	4%	YELLOW HE6G	S	NS	NS	NS	NS	NS	4-5	4	6-7	6	60	<5	4-5	4-5	4-5	4-5	4	4-5	4-5	4	4-5	4	4-5	4	R	5	4	5	4	R	
		YELLOW HE4G	S	NS	NS	NS	NS	NS	4-5	4	6	5	15	<5	4-5	4-5	4-5	4	4-5	4-5	4	4-5	4-5	4	4-5	4	4	4	4	4-5	3-4		
		YELLOW HE4R	S	NS	NS	NS	NS	NS	4-5	4	6	5	100	40	4-5 R	4	4-5	4-5	4-5	4-5	4-5	4-5 R	4-5	4-5	4	5	4	4	4-5	4-5	4-5		
		ORANGE HE2R	S	NS	NS	NS	NS	NS	4	3-4	3-4	3	200	50	4-5	4	4-5	4-5	4	4	4	4	4-5	4-5	4-5	4-5	4	5	4	5	4	Br	
		ORANGE HER	S	NS	NS	NS	NS	NS	3-4	3-4	3-4	3	30	<5	4-5	4	4-5	4-5	4	4-5	4	4	4-5	4-5	4-5	4-5 R	5	4	4	4-5	4-5		
		RED HE3B	S	NS	NS	NS	NS	NS	4-5	4	5	4	200	<5	4-5	4	4-5	4	4-5	4-5	4-5	4-5	4-5	4	5	3-4	4-5	4	4	4	4		
		RED HE7B	S	NS	NS	NS	NS	NS	4	3-4	4	3-4	200	200	4-5	4	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4	4-5	3-4	4-5	4	4	4	4		
		RED HE8B	S	NS	NS	NS	NS	NS	3-4	3	3-4	3	100	80	4	3	4-5	4-5	4	4	4-5	4	4-5	4	4-5	3	4-5	4	4	4	4		
		TURQUOISE BLUE HEA	S	NS	NS	NS	NS	NS	4-5	4	5-6	5	60	<5	4	3	4	4	3-4	4	4-5	3	4	4	4-5	3	5	4	4	4	4		
		BLUE HEGN	S	NS	NS	NS	NS	NS	5	4-5	6-7	6	200	<5	4-5	4	4-5	4	4	4-5	4	4-5	4	4-5	3	DI	4-5	4	4-5	4	4	4	
		BLUE HERD	S	NS	NS	NS	NS	NS	4	4	5	4-5	150	60	4-5	3-4	4-5	4	4-5	4-5	4	4-5	4	4-5	4	5	4	4	4-5	4	4	4	
		NAVY BLUE HER	S	NS	NS	NS	NS	NS	3-4	3-4	4	3-4	120	<5	4-5	4	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	3-4	5	4	4	4	4	4	4	
		GREEN HE4BD	S	NS	NS	NS	NS	NS	4	3-4	3-4	3	60	<5	4-5	3-4	4-5	4-5	4-5	4-5	4	4-5	4-5	4	4-5	3	DI	5	3-4	3-4	4	4	4

### Abbreviations

• BI - Bluer • Br - Brighter • DI - Duller • G - Greener • R - Redder • S - Suitable • NS - Not Suitable

Note: These shades are indicative, original shades may vary.

Jay House, Pachvati Circle, Ambawadi, Ahmedabad - 380 006, Gujarat, INDIA.  
Phone: +91 79 2642 3363 | Fax: +91 79 2642 5763 | Web: www.jaychemical.com